

# Cerulean Keyboard Shortcuts – Redis Cache

## Add/Edit Connection

	Windows/Linux	Mac
Add account connection – splash screen		
- Don't show splash screen	Ctrl + D	Cmd (⌘) + D
- Next Button	Ctrl + T	Cmd (⌘) + T
Add/edit account connection		
- Save	Ctrl + S	Cmd (⌘) + S

## Slow Logs Host (Tab)

	Windows/Linux	Mac
Set focus on the host	Ctrl + Shift + H	Cmd (⌘) + Shift + H
Set focus on the data grid	Ctrl + Shift + G	Cmd (⌘) + Shift + G
Refresh	Ctrl + R	Cmd (⌘) + R
Open delete slow logs confirmation popup	Ctrl + Del	Cmd (⌘) + Del
Confirm delete slow logs	Shift + Del	Option (⌥) + Cmd (⌘) + Del

## Monitor Host (Tab)

	Windows/Linux	Mac
Set focus on the host	Ctrl + Shift + H	Cmd (⌘) + Shift + H
Set focus on the data grid	Ctrl + Shift + G	Cmd (⌘) + Shift + G
Refresh	Ctrl + R	Cmd (⌘) + R
Set focus on frequency selector dropdown	Ctrl + Shift + Y	Cmd (⌘) + Shift + Y
Set focus on date/time range selector	Ctrl + Shift + T	Cmd (⌘) + Shift + T

## Terminal Host (Tab)

	Windows/Linux	Mac
Set focus on the host	Ctrl + Shift + H	Cmd (⌘) + Shift + H
Execute command	F5	F5
Clear console	Ctrl + L	Cmd (⌘) + L
Command help (opens in a browser window)	F1	F1
Open terminal settings popup	Ctrl + T	Cmd (⌘) + T
Reconnect	Ctrl + R	Cmd (⌘) + R
Open manage keys tab	Ctrl + K	Cmd (⌘) + K
Set focus on commands textbox	Ctrl + Shift + S	Cmd (⌘) + Shift + S

### Clients List Host (Tab)

	<b>Windows/Linux</b>	<b>Mac</b>
Set focus on the host	Ctrl + Shift + H	Cmd (⌘) + Shift + H
Set focus on the data grid	Ctrl + Shift + G	Cmd (⌘) + Shift + G
Refresh	Ctrl + R	Cmd (⌘) + R
Set focus on frequency selector dropdown	Ctrl + Shift + Y	Cmd (⌘) + Shift + Y
Open delete client connections popup	Ctrl + Del	Cmd (⌘) + Del
Confirm delete client connections	Shift + Del	Option (~) + Cmd (⌘) + Del
Set focus on client details panel	Ctrl + Shift + D	Cmd (⌘) + Shift + D
Close client details panel	Shift + Esc	Shift + Esc

### Manage Keys Host (Tab)

	<b>Windows/Linux</b>	<b>Mac</b>
Set focus on the host	Ctrl + Shift + H	Cmd (⌘) + Shift + H
Set focus on the data grid	Ctrl + Shift + G	Cmd (⌘) + Shift + G
New key	Ctrl + N	Cmd (⌘) + N
Delete key(s)	Ctrl + Del	Cmd (⌘) + Del
Refresh	Ctrl + R	Cmd (⌘) + R
Open change key(s) expiry popup	Ctrl + E	Cmd (⌘) + E
Open terminal tab	Ctrl + T	Cmd (⌘) + T
Set focus on search textbox	Ctrl + Shift + S	Cmd (⌘) + Shift + S
List keys (Execute)	F5	F5
Set focus on key details panel	Ctrl + Shift + D	Cmd (⌘) + Shift + D
Close client details panel	Shift + Esc	Shift + Esc
Fetch more keys	Ctrl + M	Cmd (⌘) + M

### Add Key/Edit Key/Rename Key/Change Key Expiry

	<b>Windows/Linux</b>	<b>Mac</b>
Save key (in new key popup)	Ctrl + S	Cmd (⌘) + S
Apply (Save key and clears the form) (in new key popup)	Ctrl + P	Cmd (⌘) + P
Update key	Ctrl + U	Cmd (⌘) + U
New key member (for Hash, List, Set and Sorted Set type of key)	Ctrl + N	Cmd (⌘) + N
Delete selected key members (for Hash, List, Set and Sorted Set type of key)	Ctrl + Del	Cmd (⌘) + Del
Open rename key popup (from key details panel)	F2	F2
Save rename key (in rename key popup)	Ctrl + S	Cmd (⌘) + S
Save key expiry changes	Ctrl + S	Cmd (⌘) + S
Close key expiry popup without saving	Esc	Esc

## FLUSHALL/FLUSHDB

	<b>Windows/Linux</b>	<b>Mac</b>
Permanently delete all keys from all databases <b>(FLUSHALL)</b>	Shift + Del	Option (⌥) + Cmd (⌘) + Del
Close FLUSHALL popup without deleting	Esc	Esc
Permanently delete all keys from a databases <b>(FLUSHDB)</b>	Shift + Del	Option (⌥) + Cmd (⌘) + Del
Close FLUSHDB popup without deleting	Esc	Esc

## View Server Information

	<b>Windows/Linux</b>	<b>Mac</b>
Switch between tabs	Ctrl + Tab / Ctrl + Shift + Tab	Ctrl + Tab / Ctrl + Shift + Tab
Refresh	Ctrl + R	Cmd (⌘) + R
Close popup	Esc	Esc

## Other Shortcuts

	<b>Windows/Linux</b>	<b>Mac</b>
Put focus on left hand panel	Ctrl + Shift + [	Cmd (⌘) + Shift + [
Put focus on right hand panel (focus on active tab)	Ctrl + Shift + ]	Cmd (⌘) + Shift + ]
Expand/Collapse left hand panel	Ctrl + B	Cmd (⌘) + B
Access modifier key for buttons	Ctrl	Cmd (⌘)
Keyboard shortcut for "OK" button	Ctrl + K	Cmd (⌘) + K
Keyboard shortcut for "Save" button	Ctrl + S	Cmd (⌘) + S
Keyboard shortcut for "Apply" button	Ctrl + P	Cmd (⌘) + P
Keyboard shortcut for "New" button	Ctrl + N	Cmd (⌘) + N
Keyboard shortcut for "Refresh" button	Ctrl + R	Cmd (⌘) + R
Keyboard shortcut for "Update" button	Ctrl + U	Cmd (⌘) + U
Keyboard shortcut for closing a popup window ("Cancel" or "Close" button)	ESC	ESC
Keyboard shortcut for putting focus on something	Ctrl + Shift + <access key>	Cmd (⌘) + Shift + <access key>
Switch between top level tabs (tab in right hand panel as well as tabs in popup windows)	Ctrl + Tab / Ctrl + Shift + Tab	Ctrl + Tab / Ctrl + Shift + Tab
Close top level tab	Ctrl + W	Cmd (⌘) + W
Switch between inner level tabs	Ctrl + T / Ctrl + Shift + T	Ctrl + T / Ctrl + Shift + T
Open context menu	Shift + F10	Not Applicable